



ALMA MATER STUDIORUM
UNIVERSITÀ DI BOLOGNA
CAMPUS DI FORLÌ

DIT PhD

Introduction to Computational Thinking and Programming

Lesson 2. Gentle introduction to Python

Alberto Barrón-Cedeño
a.barron@unibo.it

05/11/2024

Table of Contents

1. Basics
2. Algorithms
3. Programming languages
4. Baby steps into coding

Basics

What is a programming language?

A programming language is **just a language**...

*A formal language comprising a set of **instructions** that produce various kinds of **output** [given an input]*

https://en.wikipedia.org/wiki/Programming_language
(from an old version of the article; I don't like the current definition)




Diagram borrowed from L. Moroney's Introduction to TensorFlow for Artificial Intelligence, Machine Learning, and Deep Learning

What is a programming language?

Programming languages are used in computer programming to implement an *algorithm**

https://en.wikipedia.org/wiki/Programming_language



1983 USSR stamp commemorating al-Khwārizmī's (approximate) 1200th birthday


* derived from the 9th century Persian Mathematician Muhammad ibn Mūsā al-Khwārizmī

The *first* programmer



A. Lovelace by 1840

Ada Lovelace^a (Mathematician) published the first algorithm for Charles Babbage's *analytical engine*



^aLord Byron's daughter

Algorithms

Algorithm

A finite sequence of *well-defined computer-implementable instructions*, typically to solve a class of problems or to perform a computation

<https://en.wikipedia.org/wiki/Algorithm>

Algorithm Example: Find out if a number is odd or even*

Definitions

- A number is **even** if it can be divided by 2 without remainder
- A number is **odd** if it leaves a remainder when divided by 2

Examples

Even numbers: 2, 4, 6, 8, etc.

Odd numbers: 1, 3, 5, 7, etc.

Silly (useless) solution:

- Produce all possible even numbers and store them in *box* EVEN.
Produce all possible odd numbers and store them *box* ODD.
- Given an input number, look for it in both boxes return the label of the one in which you found it

*Adapted from

<https://www.c-programming-simple-steps.com/algorithm-examples.html>

Algorithm Example: Find out if a number is odd or even

Problem Definition

Input/Output

→ an integer (data)

← even or odd (more data)

Process

A series of instructions and routines

```
# n stores the number
n = 5
if n%2 == 0:
    print('even')
else:
    print('odd')
```

Programming languages

History of (some) flagship languages (1/2)

year	language	highlights
1957	Fortran	Compiled, imperative
1959	Lisp*	Object-oriented, popular in AI, recursive functions
1964	Basic*	Procedural, object-oriented ("goto")
1970	Pascal*	Imperative, procedural, lists, trees
1972	C*	Procedural, recursion, static type system
1983	C++*	Object-oriented, compiled, functional

* language I "speak" (or "spoke" at some point in time)

History of (some) flagship languages (2/2)

year	language	highlights
1989	Python*	Interpreted, object-oriented, code readability
1995	Java*	Compiled, object-oriented
1995	Javascript	Just-in-time-compiled, object-oriented, WWW
1995	PHP*	Scripting, Web-oriented
2001	V. Basic.NET	Object-oriented, .NET framework
2009	Go	Compiled, C-like (safer)

* language I “speak” (or “spoke” at some point in time)

Python

(Among other things), python is...

General-purpose

Applicable across application domains

High-level

Strong abstraction from the computer (hardware)

Interpreted

No previous compilation into machine-level instructions necessary

(Not-necessarily) object-oriented

An object contains data (attributes) and procedures (methods)

Python

Some notable features

- Elegant syntax (indentation-based) → easy to read
- Simple and ideal for prototyping
- It has a large standard library for diverse tasks (e.g., web servers, text search and processing, file reading/modifying)
- Interactive mode → continuous snippet testing
- Extendable with modules in compiled languages (e.g., C++)
- Multi-platform (e.g., Mac OS X, GNU Linux, Unix, MS Windows)
- Free: zero-cost to download/use; open-source license
- Large and friendly community
- Top alternative for deep learning

<https://wiki.python.org/moin/BeginnersGuide/Overview>

Python

Some programming-language features

- A variety of basic data types are available:¹
 - numbers (floating point, complex, integers)
 - strings (both ASCII and Unicode)
 - Lists
 - Dictionaries
- It supports object-oriented programming
- Code can be grouped into modules and packages

¹Later today

Python

Some ways to code/launch a python program


[UNIX , GNU Linux , MacOS , Windows] terminal

```
alberto@ssit-ufftec-04:~$ python3
Python 3.9.16 (main, Dec 7 2022, 01:11:58)
[GCC 7.5.0] on linux
Type "help", "copyright", "credits" or "license" for more information.
>>> list1 = []
>>> for i in range(2, 16, 2):
...     list1.append(i)
...
>>> list1
[2, 4, 6, 8, 10, 12, 14]
>>> exit()
alberto@ssit-ufftec-04:~$
```

Python

Some ways to code/launch a python program

Web browser: local, online, on Google's colab




Enough! Let us look at some code!

Baby steps into coding

Google's colab

a free Jupyter notebook environment that runs in the cloud and stores its notebooks on Google Drive


<https://colab.research.google.com>



Our first jupyter notebook

Google's colab: baby steps

1. Visit <https://colab.research.google.com>
2. Click on Github
3. Type (or paste) https://github.com/TinFoil/learning_dit_python
4. Press search
5. Select `DIT_python_notebook_1_static.ipynb`



Baby Steps

What we know so far

input/output

- `print()` displays stuff to the screen
- `input()` captures information from the user

variables

<code>x = 5</code>	x is a variable we assign values to a variable with = (aka store information)
<code>x = 5</code>	x is an integer
<code>x = 5.5</code>	x is a float
<code>x = 'ciao'</code>	x is a string
<code>x = "ciao"</code>	x is also a string
<code>x = '5'</code>	x is what?
<code>x = x * 3</code>	we can apply operators to variables and (re-)assign the output to a variable

Baby Steps

What we know so far

Basic formatting

```
# my code
x = 0
while x < 50:
    for i in range(x):
        print('x', end=" ")
    print()
    x += 1
```

- Comments start with `#`
- A **line break** is enough to close an instruction (in Java or C, we need `;`)
- A **colon** opens a code snippet
- **Indentation is crucial**

Baby Steps

What we know so far

flow control – conditionals

```
if (condition):  
    execute something  
elif (condition):  
    execute something  
else:  
    execute something
```

```
if (condition):  
    execute something  
if (condition):  
    execute something  
else:  
    execute something
```

Only **one** of these three snippets is executed

How is this different?

flow control – loops

The code snippet will be executed during a number of iterations

Danger: a loop could run forever if there is a *bug*

```
for (iterator):  
    execute something
```

```
while (condition):  
    execute something
```

You know a lot already!

It is your turn to play with the notebook

